
# Introduction to Programming and Computing for Scientists


Oxana Smirnova

**Lund University** 

Lecture 1

# Evolution of science paradigms





Simulations




 Unifies the rest to explore large data


after Jim Gray

#### It all starts with data

- The ultimate goal of science is to understand natural phenomenae
  - Understanding leads to anticipation, reproduction, prevention, utilization etc
- Information is key to understanding
  - Data is information organised in a structured manner
    - There are very many ways of structuring information



# All data today are digitized for computer processing




#### Scientific data: different scales

Small data


- Small devices
- Portable USB drives
- Personal computers






# Large data

- Large devices
- Storage servers
- Supercomputers




#### History: from small data to large data (particle physics case)




#### A discovery in 1930-ies

- **exclusive** measurements
- ~2 scientists in 1country
- pen-and-paper



#### A discovery in 1970-ies

- more **inclusive** measurements
- ~200 scientists in ~10 countries
- supercomputers



#### A discovery today

- mostly inclusive measurements
- ~2000 scientists in ~100 countries
- hundreds of <u>Linux</u> servers, supercomputers, Clouds etc

#### Most data come from measurements

- <u>Exclusive</u> measurement: focussed on one particular object, process or phenomenon, excluding all others
  - Example: measure all particles emitted at a particular angle
  - Simpler experimental setup
  - Little data, simple analysis
- Inclusive measurement: registers all the processes, objects etc
  - Example: digital sky survey (could produce 1 Exabyte a day, 1 EB = 10<sup>9</sup> GB)
  - More complex experimental setup
  - Lots of data, complicated analysis ("needle in a haystack" problem)
- Inclusive measurements can be "filtered" to exclude unwanted information
  - Threshold: minimal value of the measurement to be recorded
  - <u>Trigger</u>: a set of conditions that must be satisfied in order to record measurements
    - A trigger may consist of a number of thresholds on different observables, or other requirements (simultaneous occurrences, absence of other effects etc)

#### Raw data, derived data, metadata, data sets

- Raw data: data as acquired by an experimental device or method
  - Examples: filled questionnaires, unprocessed satellite images, electronic hits in a detector
  - Raw data often contain unnecessary or excessive information, have large volume, and are recorded in different method-specific ways
- <u>Derived data</u>: data derived from raw data by applying various algorithms: filtering, compression, enhancement etc
  - There can be a chain of derived data
  - Derived data usually contain less information, but can also contain additional information as a result of processing
- Metadata: data about data, such as time stamps, data ownership, quick summary etc
  - Metadata often are stored together with data
- Data set: a set of data characterised by common data taking conditions
  - Examples: same year, same object, same device settings etc
  - Data and data sets can be <u>mutable</u> (can be changed) or <u>immutable</u> (never change once recorded)

#### Where are the data?

- Scientific data are often stored as files
- A data set may consist of a large number of files
  - Such files would typically have similar names
  - File names often contain metadata, e.g. data14ver8nocalib.dat
- There are many different ways of writing data to a file
  - Alphanumeric text files: strings or arrays of data and keywords, readable by any document processing utility

Data (not

simulation)

year

- Binary files: packaged information to be read by a dedicated software
  - Examples: JPEG pictures, Excel spreadsheets, ROOT files
- Data can also be stored in <u>databases</u>
  - A database is a structured file (or set of files), interpreted by a specialized software
    - Data from a database are read <u>directly</u>, from files <u>sequentially</u>
  - Databases can establish <u>relations</u> between data objects
  - Databases are needed to enable quick access to large amounts of data
  - Typically, databases are hosted by specialised servers, and are accessed (queried) remotely, using special query languages
    - Files are easy to copy and transfer, databases are not


Software

version


Non-

calibrated


# Example of data hierarchy: particle physics



- Different sciences use different data models
- Data are often recorded in structured files
- Each file contains many measurements
- Many files recorded in identical conditions constitute a data set
- Data sets are derived from each other: from raw data to analysis objects



#### Sizes of scientific data sets and scientists teams



- Larger is data set, more scientists work on collecting and analyzing it
  - Need to follow common rules, have common software etc
- Petabytes and Exabytes of data are a reality today

#### Data are stored all over the World

# There is no one Big Storage

• Even Cloud storage is distributed

# Preservation and access

More copies – better preservation and easier access

# Instruments are distributed around the World

 Sensors, CT scanners, telescopes, even accelerators There are thousands of different scientific data storage servers

# Scientists are many and everywhere

• A local copy must be available


# What do storage servers look like

From Computer Desktop Encyclopedia 9 2004 The Computer Language Co. Inc.





A disk storage rack fragment




Tape robot at Fermi National Accelerator Laboratory (USA)

#### How to find my data?

- Step #1: Ask your supervisor!
- Hint: Master-copies are usually preserved and <u>catalogued</u> by the scientists who collect the data
  - There's no catalogue of catalogues though (Google is still your friend)
- Small data sets are simply copied to office computers and USB memory sticks
  - Memory sticks capacity increases, but data volumes increase, too
  - Office computers become more powerful and can process more data
- Large data sets can be too large for your office computer!
  - <u>Petabytes</u> (1 PB = 1 million GB) are stored in specialized storage centers of research labs
  - Approach #1: get login/password for the computer that has access to the data set
    - Usually, a large High Performance Computer in a research lab
  - Approach #2: send your analysis program to a distributed computing system (Grid), which will find the best place for it to work
    - This is not available yet to all sciences, but is used in particle physics

#### CERN data: distributed across the World



# Data can also be computer-generated

- Some data are difficult to measure experimentally
  - Inaccessible location
  - Lack of adequate experimental tools
  - Very rare or hypothetical processes
  - Ethical issues
- If a scientific model exists for a process, such data can be computer-generated – <u>simulated</u>
  - Nuclear explosions
  - Effects of drugs
  - Planet formation
  - Aerodynamic characteristics
  - Quantum effects
  - Weather forecasts
  - Etc etc etc...
- Simulation of probabilistic processes (common in e.g. subatomic physics) relies on random number generators – hence called <u>Monte Carlo</u>









# Why do we need simulation in physics?

- To design new experiments and plan for new searches
  - Any new theory can be coded and plugged into a simulation program
- To identify unexpected experimental signals
  - When simulation prediction does not correspond to experimental data, it <u>might</u> mean that we see an unexplained phenomenon (or there is a bug in the program)
- To correct for experiment imperfections
  - Our devices are never 100% efficient, and sometimes produce fake signals





Figure from Phys. Lett. B 688 (2010) 21–42

# Data acquisition and processing: particle physics case



- Every such step requires computing
  - Even the tiniest detectors are driven by programmable microchips
- Software is a scientific tool

#### On-line vs off-line

- Refers to the time and manner in which data are being processed
  - On-line: data are processed real-time while being taken, usually at a specialized computer embedded within the experimental device
  - Off-line: data are processed after the experiment finishes, normally by other computers elsewhere
- On-line processing has to be fast, so not very complex
  - Produces raw data and some derived data (using triggers and fast filters)
- Off-line processing can be as complex as necessary
  - Produces derived data and simulation
- Terminology actually comes from computer science, where it describes different algorithms

#### Special data need special software

- Many scientific data sets are small enough to be processed by generic software tools, for example:
  - Spreadsheets: good for social sciences and simple processing
  - MATLAB, Origin etc: offer specialized <u>languages</u> for complex processing and modelling, as well as advanced visualization
- There are reasons why not everybody uses such commercial tools:
  - Data volumes: when data are very big and/or very complex, commercial tools are not suitable (too generic, or too rigid, or too expensive)
  - Data formats: <u>custom-built</u> instruments produce data in customized formats
    - Particle physics detectors, telescopes, satellites etc
      - Customized formats often appear due to the necessity to compress raw data
  - Simulation: advanced complex models are beyond the scope of commercial tools
- What do we do when MATLAB doesn't help? We develop our own software!

#### What kind of software do scientists develop?

- Some examples:
  - Device programming
    - "firmware" that makes custom-made experimental devices working, executed on-line
  - On-line pattern recognition
    - fast software that can be used for triggering or raw data filtering
  - Device calibration, alignment etc
    - higher-level software needed to correct for technical imperfections, can be executed on-line or off-line at a generic computer
  - Raw data pre-processing, production of derived data
    - more complex software, takes large computing resources and longer time; executed both on-line and off-line

#### What kind of software do scientists develop?

- More examples:
  - Device performance simulation, process modelling
    - complex and demanding software implementing various interaction models and simulation of physics processes; executed off-line
  - Data analysis
    - algorithms for statistical analysis, pattern recognition, data mining etc etc; off-line
  - System software
    - tools and services to support data storage, management and processing across different computers
  - Data presentation and publication
    - software for visualisation of results, preparation of plots, typesetting nowadays mostly professional tools are used

# Software is a tool that you can make yourself

- In many scientific disciplines, experimental devices and tools are manufactured on industrial scale
  - Even unique accelerators and telescopes are made from industry-produced components and assembled by professional engineers
  - In areas like particle physics or radioastronomy, students rarely have a chance to make an own scientific tool – unless it is a prototype of some new technology
- Inclusive measurements produce data that <u>can not be used</u> without heavy computer processing and comparison with models (simulation)
- Software is a scientific tool, as important as any other instrument
- There are infinite possibilities to improve software or develop a better one
  - Inadequate software means that it may take months or even years to analyze data, and the results may not be accurate enough...
    - ...or even wrong, if there are bugs
- Many research projects require development of <u>new</u> analysis or modelling algorithms – you will have to <u>make your tool yourself</u>

# Specifics of scientific software

- While other scientific instruments are made mostly by professionals, scientific software is made mostly by amateurs
  - Algorithms require knowledge of the research object, which professional software engineers don't have
  - Still, some scientists are good programmers

Good programmers know what to write. Great ones know what to rewrite (and reuse). *Eric S. Raymond* 

- Scientific software is often rather simplistic, poorly documented, and is not easy to install outside the computer where it was developed
- On the bright side, scientific software is usually freely available to be used, modified and customized

#### We will start with software useful for students

- Admittedly biased towards tools used in particle physics
  - Basic principles are the same everywhere
- Most typical programming tasks of a student:
  - Modelling and simulation needs no data even
  - Data analysis and presentation of results

# Example of simulation software born in Lund: Pythia

- Pythia was known as the Oracle of Delfi, possessed immense predictive powers (until year 393)
- In 21<sup>st</sup> century, Pythia is arguably the most successful particle physics Monte Carlo generator




- Pythia highlights:
  - Software to simulate particle collisions (particularly in accelerators)
  - Can simulate hard processes: Standard Model and beyond, resonance decays etc
  - Showers: initial- and final-state radiation, transverse momentum ordered
  - Underlying event: multiple interactions, colour-connected beam remnants
  - Hadronisation: Lund model, particle decays, Bose-Einstein effects
  - Various auxiliary utilities

# Simplest code using Pythia 8 (C++)

```
// File: main01.cc. The charged multiplicity distribution at the LHC.
#include "Pythia.h"
using namespace Pythia8;
int main() {
  // Generator. Process selection. LHC initialization. Histogram.
  Pythia pythia;
  pythia.readString("HardQCD:all = on");
  pythia.readString("PhaseSpace:pTHatMin = 20.");
  pythia.init( 2212, 2212, 14000.);
  Hist mult("charged multiplicity", 100, -0.5, 799.5);
  // Begin event loop. Generate event. Skip if error. List first one.
  for (int iEvent = 0; iEvent < 100; ++iEvent) {
    if (!pythia.next()) continue;
    if (iEvent < 1) {pythia.info.list(); pythia.event.list();}</pre>
    // Find number of all final charged particles and fill histogram.
    int nCharged = 0;
    for (int i = 0; i < pythia.event.size(); ++i)</pre>
      if (pythia.event[i].isFinal() && pythia.event[i].isCharged())
        ++nCharged;
    mult.fill( nCharged );
  // End of event loop. Statistics. Histogram. Done.
  pythia.statistics();
  cout << mult;</pre>
  return 0;
```

# Example of simulation software: GEANT


- Our experimental devices are never perfect!
- But we know how they work
  - In particle physics, we know how particles interact with materials
    - This is also relevant for radiation therapy
- Every detector (and even a human body) can be simulated by software
  - Making use of knowledge of particle interactions with matter
  - Needs precise knowledge of detector geometry, magnetic field, gas status etc
  - Although largely deterministic, has some probabilistic effects as well



- Most complete detector simulation software: GEANT (version 4 is the latest)
  - Pythia (or other good Monte Carlo) and GEANT are absolutely necessary to calculate corrections for detector inefficiencies

Figure taken from geant.cern.ch

# Final analysis: ROOT




- ROOT is a C++ based tool and framework (program and library) for data analysis
  - C++ as script language with interpreter
  - Graphical interface for interactive visualization
  - Input/Output and analysis of large amounts of data
  - Histogramming, plotting, fitting
  - Physics and mathematics
  - Object organisation
  - Parallel analysis via network

#### Big data need big computers

- Even the most advanced desktop workstation will take years to process Petabytes of data
  - And will require a dedicated network connection to transfer all that
- Similarly, simulation of a statistically significant sample on a workstation will take years
- But we need our Nobel prize tomorrow!
  - It took ~2 weeks of massive data processing to find a hint of the Higgs boson
     the fastest discovery of this kind
- Solution: use supercomputers or large computer clusters, with large attached storage and very fast network
  - 10 Gbps now, 1 Tbps in the near future
- There is a catch: big computers need special operating systems

# Operating systems (OS)

- An operating system is software that makes computers work, orchestrating different components
   hardware and software
- Microsoft Windows, Mac OS X or Android OSs were designed for personal computers
- On servers, computer clusters and supercomputers, <u>Linux</u> is by far dominant
  - Comes in many flavors distributions
  - Often RedHat Linux or its derivatives
  - Most Linux distributions are actually <u>free</u> and their code is open for everybody to tweak



#### How do Linux clusters look like

#### A very old traditional Linux cluster





The Aurora Linux cluster in Lund - will be used for this course

#### We use Linux!

- Linux is a <u>UNIX-like</u> OS designed to be flexible and portable to about any hardware
  - <u>UNIX</u> was designed as an OS for multiuser environments (as opposed to personal computing), capable of handling many simultaneous tasks
- Linux is not really meant for desktop PCs, but it gives the user real control of the system
  - It is also more difficult to infect by viruses, since every Linux machine is different
    - It still has vulnerabilities, but they are quickly rectified by the worldwide community of volunteer developers
- Linux comes in many distributions: *RedHat, Debian, SuSE,* their derivatives (*CentOS* is a derivative of RedHat), etc
  - Differ in software packaging, organization of directories, policies etc
  - Software that works on one Linux system <u>may not work</u> on another
- For personal use, Ubuntu (a derivative of Debian) is the best, as it was designed to be user-friendly
  - Many Smart Home appliances, SmartTVs, WiFi routers etc are powered by Linux
  - Android is also Linux, but stripped of many characteristic components
  - iOS, like Linux, is based on a UNIX kernel

#### Some peculiarities of working with Linux

#### Command-line interface (CLI)

- Most stages of scientific computing do not require graphical interfaces
  - Many scientific softwares do not even have graphical interfaces
- Scientific software tools have many options and parameters that are difficult to accommodate in graphical tools
  - CLIs support basic programming, scripting
- When connecting to a remote computer, graphics slows down the work and can even be a security threat when intercepted
- For these reasons, we communicate with computers by typing instructions

# echo \$[2+2] 4

#### Non-interactive and <u>batch</u> processing

- Analysis of large data sets, or a complex simulation, can take hours and even days
- You may need to execute several analyses or simulations at the same time
- On Linux, such tasks can be executed in a non-interactive mode, in "background"
- For batches of many such tasks, special softwares exist to take care of processing
  - Called "batch systems", many different kinds exist

# Short summary

- Experimental sciences work with increasingly large data sets, and theoretical sciences use increasingly complex models
- The largest experimental data sets are produced by complex and unique instruments, and require unique software
- To analyze such data, or to simulate various phenomena on a large scale, massive computing power is needed
- Linux clusters are the main working horse of scientific computing
- Knowledge of Linux and programming is essential for many scientists

#### Home assignment (see Canvas page for MNXB01):

Please fill the short programming background questionnaire by the end of this week